

[Svenska](#)[English](#)[Deutsch](#)[Français](#)

Providing sustainable energy solutions worldwide

CTC FerroModul

T220/295 L / T220/295 E7

T300/400 L / T300/400 E7





T295/400 L/E7



T220/300 E7/L

CTC FerroModul Dimensions	T400 L	T400 E7 incl 7 kW	T300 L	T300 E7 incl 7 kW
Item no	585900 001	585900 002	585900 003	585900 004
RSK no	6922684	6922685		
Volym	390 L	390 L	285 L	285 L
Height mm	2100	2100	1600	1600
Width mm (max)	640	640	640	640
Depth mm	590	590	590	590
Height with packaging	2200	2200	1700	1700
Width with packaging	600	600	600	600
Depth with packaging	600	740	600	740
Weight:				
With packaging kg	78	81	63	66
Without packaging kg	76	79	61	64

CTC FerroModul Dimensions	T295 L	T295 E7 incl 7 kW	T220 L	T220 E7 incl 7 kW
Item no	588500 001	588500 002	588500 003	588500 004
RSK no	6938095	6938096	6938097	6938098
Volym	295 L	295 L	220 L	220 L
Height mm	2100	2100	1600	1600
Width mm (max)	640	640	640	640
Depth mm	590	590	590	590
Height with packaging	2200	2200	1700	1700
Width with packaging	600	600	600	600
Depth with packaging	600	740	600	740
Weight:				
With packaging kg	78	81	58	61
Without packaging kg	72	75	55	58

171222 Utgåva1/Release 1 ÄB5456 Reslist CTC Ferromodul



